

**SPE RESPONSE FOR CERTIFICATE OF CORRECTION**

**DATE** : 4-2-07

**Paper No.:** \_\_\_\_\_

**TO SPE OF** : ART UNIT 1744

**SUBJECT** : Request for Certificate of Correction on Patent No.: 7128872 B<sup>2</sup> (10/005786)

A response is requested with respect to the accompanying request for a certificate of correction.

Please complete this form and return with file, within 7 days to:

**Palm location 7580, Certificates of Correction Branch – South Tower – 9A22**

**If response is for an IFW, return to employee (named below) via PUBSCofC Team in MADRAS.**

With respect to the change(s) requested, correcting Office and/or Applicant's errors, should the patent read as shown in the certificate of correction (COCIN)? No new matter should be introduced, nor should the scope or meaning of the claims be changed.

*Applicant want to know the status of request H/S/H/P* Eva James  
*Thanks*

**Thank You For Your Assistance**

**Certificates of Correction Branch  
Tel. No. 703-305-8309**

**The request for issuing the above-identified correction(s) is hereby:**

Note your decision on the appropriate box.

☐ **Approved**

All changes apply.

☒ **Approved in Part**


Specify below which changes do not apply.

☐ **Denied**

State the reasons for denial below.

**Comments:**

The changes to column 14, line 41, line 43, line 43, line 45, line 45,  
line 47, line 47, line 50, line 52, line 54 and line 57  
should not be entered.



**GLADYS JP CORCORAN  
SUPERVISORY PATENT EXAMINER**

**SPE**

**Art Unit**

## UNITED STATES PATENT AND TRADEMARK OFFICE CERTIFICATE OF CORRECTION

Page 1 of 1

PATENT NO. : 7,128,872

APPLICATION NO.: 10/005,786

ISSUE DATE : November 8, 2001

INVENTOR(S) : Richard TURCOT et al.

It is certified that an error appears or errors appear in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

Front Page, Inventors, delete "Dufresue" and insert therefor - -Dufresne- -;

Column 14, line 23, delete "ozonaton" and insert therefor - -ozonation- -;

Column 14, line 31 (claim 1), delete "appwacbes" and insert therefor - -approaches- -;

~~Column 14, line 41, delete "4." and insert therefor - -5. - -;~~

~~Column 14, line 43, delete "5." and insert therefor - -7. - -;~~

~~Column 14, line 43, delete "claim 4" and insert therefor - -claim 5 - -;~~

~~Column 14, line 45, delete "6." and insert therefor - -9. - -;~~

~~Column 14, line 45, delete "claim 5" and insert therefor - -claim 7 - -;~~

~~Column 14, line 47, delete "7." and insert therefor - -11. - -;~~

~~Column 14, line 47, delete "claim 6" and insert therefor - -9 - -;~~

~~Column 14, line 50, delete "8." and insert therefor - -4. - -;~~

~~Column 14, line 52, delete "9." and insert therefor - -6. - -;~~

~~Column 14, line 54, delete "10." and insert therefor - -8. - -;~~

~~Column 14, line 57, delete "11." and insert therefor - -10. - -;~~

MAILING ADDRESS OF SENDER (Please do not use customer number below):

Borden Ladner Gervais LLP, World Exchange Plaza,  
100 Queen Street, Suite 1100, Ottawa, Ontario K1P 1J9, CANADA

March 7, 2007

This collection of information is required by 37 CFR 1.322, 1.323, and 1.324. The information is required to obtain or retain a benefit by the public which is to file (and by the USPTO to process) an application. Confidentiality is governed by 35 U.S.C. 122 and 37 CFR 1.14. This collection is estimated to take 1.0 hour to complete, including gathering, preparing, and submitting the completed application form to the USPTO. Time will vary depending upon the individual case. Any comments on the amount of time you require to complete this form and/or suggestions for reducing this burden, should be sent to the Chief Information Officer, U.S. Patent and Trademark Office, U.S. Department of Commerce, P.O. Box 1450, Alexandria, VA 22313-1450. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO: Attention Certificate of Corrections Branch, Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450.

*If you need assistance in completing the form, call 1-800-PTO-9199 and select option 2.*